

Ackerman, Joyce

From: Thomas J. Krasovec <TJKrasovec@Geosyntec.com>
Sent: Tuesday, February 27, 2018 9:42 AM
To: Ackerman, Joyce
Cc: Jonathan H. Steeler; Dave Folkes; Piggott, Amelia
Subject: RE: Estimated quantities

Joyce,

Most are generated through Civil CAD short of the piles which I am estimating on size. Looking to get the surveyor back on site ASAP to verify all. I do not have much for field data on the pile from the 2B excavation but do not disagree that it could be another 1000 cu.yds. that could exceed the 100 ppm criteria. Please remember these are preliminary in nature and the quantities could grow pending analytical data and additional sampling and surveying. Please let me know if you have any other questions.

Thanks TJK

From: Ackerman, Joyce [mailto:Ackerman.Joyce@epa.gov]
Sent: Tuesday, February 27, 2018 9:34 AM
To: Thomas J. Krasovec <TJKrasovec@Geosyntec.com>
Cc: Jonathan H. Steeler <JSteeler@sennlaw.com>; Dave Folkes <DFolkes@Geosyntec.com>; Piggott, Amelia <Piggott.Amelia@epa.gov>
Subject: RE: Estimated quantities

Hi Tom – I think for 2b, there is also a stockpile of soil estimated to be around 1000 cubic yards. I would like to see the calculations of how the estimates were generated.

Joyce

From: Thomas J. Krasovec [mailto:TJKrasovec@Geosyntec.com]
Sent: Tuesday, February 27, 2018 7:39 AM
To: Ackerman, Joyce <Ackerman.Joyce@epa.gov>
Cc: Jonathan H. Steeler <JSteeler@sennlaw.com>; Dave Folkes <DFolkes@Geosyntec.com>
Subject: Estimated quantities

Joyce,

Attached is a memo on the estimated quantities of soils above and in-situ that exceeds the 100 ppm PID criteria. Drawings are getting cleaned up and I will forward as soon as possible. Please let me know if you have any questions.

Thanks TJK

Thomas J Krasovec
Senior Professional
Geosyntec Consultants
Ph: 720-509-8911
Cell: 517-719-4984

Geosyntec Consultants, Inc.
5670 Greenwood Plaza Blvd, Suite 540
Greenwood Village, CO 80111

This message and any attachments may contain confidential information protected by attorney-client or other privilege. If you believe this message has been sent to you in error, please reply to the sender that you received it in error and delete the message. Thank you